

RDW

THE NETHERLANDS (NEDERLAND)



EC TYPE-APPROVAL CERTIFICATE

Communication concerning the:

- type-approval (+)

extension of type-approval (1)

refusal of type approval (4)

withdrawal of type-approval (+)

of a type of a component with regard to Directive 94/20/EC

Type-approval number (2)

: e4*94/20*3377*01

Reason for extension

Technical modification.

Approval mark

See example of type plate

SECTION I

0.1. Make (trade name of manufacturer) : Bosal

0.2. Type and general commercial

description(s)

: 043781

0.3. Means of identification of type if marked on the component (3)

Type approval number

0.3.1.Location of that marking

On type plate

Name and address of manufacturer

4921 XH Made, the Netherlands Tweede industrieweg 6

0.5.

Bosal

07. In the case of components and separate


affixing of the EEC approval mark technical units, location and method of

RDW

On type plate

0.8. plant(s) Name(s) and address(es) of assembly

See information document (annex III, item 0.8)



Vehicle Approval and Information

Couplings-component 94.20-94.20 v3.01

Type-approval number: e4*94/20*3377*01

SECTION II

 \vdash Additional information (where

applicable) see Appendix I

12 Technical service responsible for RDW

carrying out the tests Talingweg 76 Test Centre Lelystad

8218 NX Lelystad

w Date of test report

02-03-2007 18-04-2008

Number of test report

RDW-94/20-5119

4

RDW-94/20-5808

Ċ Remarks (if any)

see Appendix I

7 Date 9

Place

18-04-2008

Zoetermeer

00 Signature



9 type-approval, which may be obtained on request, is attached: The index to the information package lodged with the competent authority that has granted

RDW

- Application form relating to Annex III and annexed drawings.
- Drawings and instructions for attachment.
- Fitting instructions.

 ⁽i) Delete where not applicable.
 (2) The EEC type-approval number appearing on this document shall consist of all sections outlined in Annex VII to Directive 70/156/EEC, as last amended by Directive 92/53/EEC. The component itself shall be marked as prescribed in the relevant separate Directive.
 (3) In the means of identification of type contains characters not relevant to describe the component types covered by this type-approval certificate such characters shall be represented in the documentation by the symbol "?" (e.g. ABC??123).

APPENDIX I

to EEC type-approval certificate number: e4*94/20*3377*01

concerning the component type-approval of mechanical coupling devices with regard to Directive 94/20/EC.

Additional information

1.1. Class of the type of coupling A50-X

1.2 which the device is designed or Categories or types of vehicles for

restricted See fitting instructions

1.3. Maximum D-value (1) 7,83 Ξ

1.4

coupling point (1) Maximum vertical load S at the 75

8

1.5. Maximum load U at the fifth wheel coupling point (1)

tonnes

1.7. Instructions for attachment of the

1.6.

Maximum V-value (1)

 \mathbf{z}

coupling type to the vehicle and points at the vehicle given by the photographs or drawings of the fixing

the use of the coupling type is manufacturer; additional information if

restricted to special types of vehicles • • See fitting instructions

<u>1.</u>% Information on the fitting of special

See fitting instructions

towing brackets or mounting plates (1)

ò

Remarks (2)

vehicle must be checked according to the requirements given in Annex VII (see Annex I The installation of the coupling device on the

Paragraph 5.10.)



⁽t) Delete where not applicable.
(2) Including information as to whether fifth wheel couplings are unsuitable for positive steering.