



THE NETHERLANDS (NEDERLAND)



EC TYPE-APPROVAL CERTIFICATE

Communication concerning the:

- type-approval (1)

- extension of type approval (4)

- refusal of type approval (1)

- withdrawal of type-approval-(1)

of a type of a component with regard to Directive 94/20/EC.

Type-approval number (2)

: e4*94/20*3795*00

Reason for extension

: n.a.

Approval mark

: See example of type plate

SECTION I

0.1. Make (trade name of manufacturer) : Bosal

0.2.

Type and general commercial

description(s)

: 044123

0.3.

Means of identification of type if

marked on the component (3)

: Type approval number

0.3.1.

Location of that marking

: On type plate

0.5.

Name and address of manufacturer

: Bosal

Tweede industrieweg 6

4921 XH Made, the Netherlands

07.

In the case of components and separate technical units, location and method of

affixing of the EEC approval mark

: On type plate

0.8.

Name(s) and address(es) of assembly

plant(s)

: See information document

(annex III, item 0.8)



P.O. Box 777

2700 AT Zoetermeer The Netherlands

Tel. + 31 (0)79 345 81 43

Fax + 31 (0)79 345 80 43

www.rdw.nl

Vehicle Approval and Information

Couplings-component 94.20-94.20 v3.01

Page I of 3

Type-approval number: e4*94/20*3795*00

SECTION II

1. Additional information (where

applicable) : see Appendix I

2. Technical service responsible for

carrying out the tests

: RDW Test Centre Lelystad

Talingweg 76

8218 NX Lelystad

3. Date of test report : 31-12-2008


4. Number of test report : RDW-94/20-5963

5. Remarks (if any) : see Appendix I

6. Place : Zoetermeer

7. Date : 31-12-2008

8. Signature



- 9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request, is attached:
 - Application form relating to Annex III and annexed drawings.
 - Drawings and instructions for attachment.
 - Fitting instructions.

⁽¹⁾ Delete where not applicable.

⁽²⁾ The EEC type-approval number appearing on this document shall consist of all sections outlined in Annex VII to Directive 70/156/EEC, as last amended by Directive 92/53/EEC. The component itself shall be marked as prescribed in the relevant separate Directive.

⁽³⁾ In the means of identification of type contains characters not relevant to describe the component types covered by this type-approval certificate such characters shall be represented in the documentation by the symbol "?" (e.g. ABC??123).

APPENDIX I

to EEC type-approval certificate number: e4*94/20*3795*00

concerning the component type-approval of mechanical coupling devices with regard to Directive 94/20/EC.

 Additional information 	mation
--	--------

1.1. Class of the type of coupling : A50-X

1.2. Categories or types of vehicles for which the device is designed or

restricted : See fitting instructions

1.3. Maximum D-value (1) : 10.40 kN

1.4. Maximum vertical load S at the coupling point (1)

: 80 kg

1.5. Maximum load U at the fifth wheel coupling point (1) tonnes

1.6. Maximum V-value (1) kN

1.7. Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fixing points at the vehicle given by the manufacturer; additional information if

the use of the coupling type is

restricted to special types of vehicles : See fitting instructions

1.8. Information on the fitting of special towing brackets or mounting plates (1)

: See fitting instructions

Remarks (2) 5.

: The installation of the coupling device on the vehicle must be checked according to the requirements given in Annex VII (see Annex I Paragraph 5.10.)



⁽¹⁾ Delete where not applicable.

⁽²⁾ Including information as to whether fifth wheel couplings are unsuitable for positive steering.